

Material Safety Data Sheet



SONIC NATURAL GAS ENGINE OIL

1. Product and company identification

Product name	: SONIC NATURAL GAS ENGINE OIL	
Synonym	: NATURAL L.P. GAS ENGINE OIL SAE 30; 40; 15W40	
Material uses	: Lubrication oil.	
Supplier/Manufacturer	Supplier Federated Co-operatives Limited P. O. Box 1050; 401 - 22nd Street East Saskatoon, SK S7K 3M9 Canada (306) 244-3447	Manufacturer Consumers' Co-operative Refineries Limited P.O. Box 260; 9th Avenue North Regina, SK S4P 3A1 Canada (306) 721-5353
Code	: 143	
Responsible name	: Atrion Regulatory Services, Inc.	
In case of emergency	: CANUTEC (613) 996-6666	

2. Hazards identification

Physical state	: Liquid. [Oily liquid.]
Odor	: Mild.
Emergency overview	: NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.
Routes of entry	: Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute health effects	
Inhalation	: No known significant effects or critical hazards.
Ingestion	: Low oral toxicity; vomiting may present an aspiration hazard. Vomiting may result in aspiration into lungs causing chemical pneumonitis.
Skin	: No known significant effects or critical hazards.
Eyes	: Zinc C1-C14 is an eye irritant at concentration of 5% or greater.
Potential chronic health effects	
Chronic effects	: May cause skin irritation, especially under repeated or prolonged contact or when moisture is present.
Carcinogenicity	: There is no data to indicate any component present at greater than 0.1% that may present a carcinogenic risk.
Mutagenicity	: There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.
Teratogenicity	: There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.
Developmental effects	: There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.
Fertility effects	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Inhalation	: No specific data.
Ingestion	: No specific data.
Skin	: No specific data.
Eyes	: No specific data.



2 . Hazards identification

Medical conditions aggravated by over-exposure : None known.

See toxicological information (section 11)

3 . Composition/information on ingredients

Name

No hazardous ingredient

Polyolefin Amide Alkenamine is an irritant at concentration of 10% or greater.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4 . First aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.
- Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 20 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.
- Inhalation** : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. Give 1/2 glass of milk./Give two glasses of water to drink. Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by medical personnel. If spontaneous vomiting occurs, have victim lean forward so that their head is between their knees. Vomiting may result in aspiration into lungs causing chemical pneumonitis. Keep victim at rest. Get medical attention.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.
- Notes to physician** : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

5 . Fire-fighting measures

- Flammability of the product** : May form combustible mixtures with air at temperatures at or above the flashpoint. Heat or contact with oxidizing materials will greatly increase fire and explosion hazards. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.
- Extinguishing media**
- Suitable** : Use an extinguishing agent suitable for the surrounding fire. Carbon dioxide, water spray or fog, dry chemical or foam. Cool closed containers exposed to fire with water. Move containers from fire area if this can be done without risk.
- Not suitable** : Do not spray water directly into containers due to the danger of slop over.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Hazardous thermal decomposition products** : Incomplete combustion may produce: oxides of carbon, sulphur, phosphorus, calcium, nitrogen and zinc.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6 . Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Avoid all possible sources of ignition (spark or flame). Do not touch or walk through spilled material. Avoid breathing vapor or mist. Wear appropriate respirator when ventilation is inadequate. Provide adequate ventilation. Put on appropriate personal protective equipment (see section 8). Wear protective equipment including rubber boots.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up**
- Small spill** : Stop leak if without risk. Move containers from spill area. Pump up using an explosion-proof pump. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7 . Handling and storage


- Handling** : Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Wear chemical resistant clothing if prolonged skin contact is likely. Chemical splash goggles. Avoid breathing vapor or mist. Wear appropriate respirator when ventilation is inadequate. Wash thoroughly after handling. Launder contaminated clothing before reuse. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Avoid all possible sources of ignition (spark or flame). Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8 . Exposure controls/personal protection

Consult local authorities for acceptable exposure limits.

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
- Engineering measures** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits. Use of mechanical ventilation is recommended.

8 . Exposure controls/personal protection

Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal protection	
Eyes	: Splash goggles. Safety glasses with side shields.
Skin	: Wear chemical resistant clothing if prolonged skin contact is likely.
Respiratory	: A respirator is not needed under normal and intended conditions of product use. Wear an appropriate NIOSH approved respirator if concentration levels exceed the safe exposure limits.
Hands	: Neoprene gloves./ Nitrile gloves.
Personal protective equipment (Pictograms)	: 
HMIS Code/Personal protective equipment	: x
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9 . Physical and chemical properties

Physical state	: Liquid. [Oily liquid.]
Flash point	: Open cup: >147°C (>296.6°F)
Auto-ignition temperature	: 413°C (775.4°F)
Color	: Brown.
Odor	: Mild.
Melting/freezing point	: -18°C (-0.4°F)
Specific gravity	: 0.89
Solubility	: Partially soluble in the following materials: cold water and hot water.

10 . Stability and reactivity

Stability	: The product is stable.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	: Heat will greatly increase fire and explosion hazards. Increased risk of fire and explosion when combined with strong oxidizer.
Materials to avoid	: Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.



11 . Toxicological information

Acute toxicity

- Inhalation** : No known significant effects or critical hazards.
- Ingestion** : Low oral toxicity; vomiting may present an aspiration hazard. Vomiting may result in aspiration into lungs causing chemical pneumonitis.
- Skin** : No known significant effects or critical hazards.
- Eyes** : Zinc C1-C14 is an eye irritant at concentration of 5% or greater.

12 . Ecological information

- Environmental effects** : No known significant effects or critical hazards.

13 . Disposal considerations

- Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14 . Transport information

- AERG** : Not applicable.
- Regulatory information**
TDG / IMDG / IATA : Not regulated.

15 . Regulatory information

Canada

- WHMIS (Canada)** : Not controlled under WHMIS (Canada).
- Canadian lists** : **CEPA Toxic substances**: None of the components are listed.
Canadian ARET: None of the components are listed.
Canadian NPRI: None of the components are listed.
Alberta Designated Substances: None of the components are listed.
Ontario Designated Substances: None of the components are listed.
Quebec Designated Substances: None of the components are listed.
- Canada inventory (DSL/NDL)** : **Canada inventory**: All components are listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations

- International lists** : This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, in Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969).

16 . Other information

Label requirements : NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

Hazardous Material Information System (U.S.A.) :

Health	0
Fire hazard	1
Physical Hazard	0
Personal protection	X


HAZARD RATINGS

4- Extreme
3- Serious
2- Moderate
1- Slight
0- Minimal

See section 8 for more detailed information on personal protection.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.) :



References : ANSI Z400.1, MSDS Standard, 2004. - Manufacturer's Material Safety Data Sheet. - Canada Gazette Part II, Vol. 122, No. 2. Registration SOR/88-64, 31 December 1987. Hazardous Products Act "Ingredient Disclosure List" - Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2005.

Date of issue : 07/23/2009
Date of previous issue : 05/15/2008
Version : 2

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.